

Attic Card

Greenshield™ Low Dust Loose Fill Insulation 26# bags



Horizontal Ceiling Area: _____




ATTIC PNEUMATIC APPLICATION COVERAGE CHART							
R-value @ 75°F Mean Temp	Minimum Thickness (inches)		Maximum Net Coverage (No Adjustment for Framing)			Gross Coverage (Based on 2"x 6" Framing on 16"	
To Obtain a Thermal Resistance (R) of:	Installed Insulation Inches Should Not Be Less Than	Thickness After Long-Term Settling	Maximum Square feet per Bag	Minimum Bags per 1000 Square Feet	Minimum Weight per Square Foot (lbs)	Maximum Square Feet per Bag	Minimum Bags per 1000 Square Feet
60	17.9	16.1	12.5	80.2	2.085	12.9	78
50	14.9	13.4	15.6	64.0	1.665	16.2	62
49	14.6	13.1	16.0	62.4	1.624	16.7	60
40	11.9	10.7	20.6	48.6	1.264	21.6	46
38	11.3	10.2	21.9	45.6	1.186	23.1	43
32	9.5	8.6	27.1	36.9	0.960	28.8	35
30	8.9	8.0	29.3	34.1	0.886	31.3	32
26	7.7	7.0	35.0	28.6	0.743	37.8	26
22	6.6	5.9	43.0	23.2	0.604	47.1	21
19	5.7	5.1	51.5	19.4	0.504	56.9	18
13	3.9	3.5	82.3	12.1	0.316	90.8	11
11	3.3	2.9	101.2	9.9	0.257	111.6	9

The above coverage chart is based on insulation manufactured @ 1.5 pcf design density per ASTM C739. The attic installation thickness was determined according to ASTM C1374 using a Krendl 500 blowing machine with 150-feet of 3" hose, gate setting of 5, and air setting of 6.5. Coverages are for estimating horizontal applications and may vary due to job conditions, application technique and machine settings. This insulation is not intended for spray application and contains no adhesive. Do not add water during application.

R-value means resistance to heat flow. The higher the R-value, the greater the insulation power. This coverage chart is based on settled density and is for estimating purposes only. Actual coverage may vary according to job conditions and application technique. To obtain maximum performance the manufacturer recommends installation, moisture between 18% - 22% for ceilings and 24% - 35% for vertical walls. Actual installation requirements may change depending on climate zone. To achieve stated R-value do not exceed maximum square footage per bag.

This attic has been insulated to: **R -**



This is to certify that Greenshield Loose Fill Insulation has been installed using the manufacturer's recommendations and according to the coverage above, using _____ bags of insulation to cover _____ square feet of attic area.

Installer's signature

Company name

Date

Builder's signature

Company name

Building Address

This insulation was installed by a qualified professional contractor to the R-value stated above and complies with all applicable codes, standards and regulations. Additional insulation may be added by contacting your Greenshield™ installer.



145 Factory Street, Ronda, NC 28670 • www.carolinafibers.com
Telephone: 336-527-4140 • Fax: 336-527-4145 • Toll Free: 866-476-3278
Carolina Precision Fibers Inc.

August 2025